Author Index

Acworth, I. N., see Gamache, P. 614(1993)213
Adusumalli, V. E., see Jacala, A. 614(1993)285
Anderson, K. L., see Tyczkowska, K. L. 614(1993)123
Aronson, A. L., see Tyczkowska, K. L. 614(1993)123
Asakura, M., Nagakura, A., Tarui, S. and Matsumura, R.
Simultaneous determination of the enantiomers of pimobendan and its main metabolite in rat plasma by high-performance liquid chromatography 614(1993)135
Avachat, M. K., see Chaudhary, R. S. 614(1993)261
Azzi, A., see Jin, J.-Z. 614(1993)159
Beijnen, J. H., see Kaijser, G. P. 614(1993)253
Beijnen, J. H., see Van Gijn, R. 614(1993)299
Bertschinger, H., see Stanley, S. M. R. 614(1993)77
Bonte, W., see Musshoff, F. 614(1993)1
Bopp, R. J., see Lantz, R. J. 614(1993)175
Bourque, A. J., see Fisher, D. H. 614(1993)142
Brent Miller, R., Dadgar, D. and Lalande, M.
High-performance liquid chromatographic method for the determination of indapamide in human whole blood 614(1993)293
Brown, A. S., see Mallinger, A. G. 614(1993)67
Brückner, H. and Hausch, M.
Gas chromatographic characterization of free D-amino acids in the blood serum of patients with renal disorders and of healthy volunteers 614(1993)7
Brunner, G., see Tsikas, D. 614(1993)37
Bruno, R., see Van Gijn, R. 614(1993)299
Bult, A., see Kaijser, G. P. 614(1993)253
Candito, M., Cavenel, C., Gugenheim, J., Mouiel, J., Parisot, F., Jacomet, Y., Sudaka, P. and Chambon, P.
Simple column liquid chromatographic assay for serum neopterin 614(1993)164
Carlin, A. S., Simmons, J. E., Kocova El-Arini, S. and Shiu, G. K.
Determination of khellin in serum by gas chromatography 614(1993)324
Castillo, M. and Smith, P. C.
Direct determination of ibuprofen and ibuprofen acyl glucuronide in plasma by high-performance liquid chromatography using solid-phase extraction 614(1993)109
Cavenel, C., see Candito, M. 614(1993)164
Cerretani, D., Micheli, L., Fiaschi, A. I. and Giorgi, G.
Rapid and sensitive determination of piroxicam in rat plasma, muscle and skin by high-performance liquid chromatography 614(1993)103
Chambon, P., see Candito, M. 614(1993)164
Chaudhary, R. S., Gangwal, S. S., Avachat, M. K., Shah, Y. N. and Jindal, K. C.
Determination of diltiazem hydrochloride in human serum by high-performance liquid chromatography 614(1993)261
Chaudhary, R. S., Gangwal, S. S., Jindal, K. C. and Khanna, S.
Reversed-phase high-performance liquid chromatography of ketorolac and its application to bioequivalence studies in human serum 614(1993)180
Chen, Y.-F., see Meng, Q. C. 614(1993)19
Choc, M. G., see Kalafsky, G. 614(1993)307
Chung, H. D., see Mattammal, M. B. 614(1993)205
Cooney, R. V., see Franke, A. A. 614(1993)43
Custer, L. J., see Franke, A. A. 614(1993)43
Dadgar, D., see Brent Miller, R. 614(1993)293
Daldrup, T., see Musshoff, F. 614(1993)1
Davídková, P., see Kučová, D. 614(1993)340
Deakin, A., see Reid, R. W. 614(1993)117
De Kraker, J., see Kaijser, G. P. 614(1993)253
Dippold, C. S., see Mallinger, A. G. 614(1993)67
Dua, V. K., Sarin, R. and Prakash, A.
Determination of quinine in serum, plasma, red blood cells and whole blood in healthy and *Plasmodium falciparum* malaria cases by high-performance liquid chromatography 614(1993)87
Durand, J., see Meng, Q. C. 614(1993)19
Edmonds, B. K. and Nierenberg, D. W.
Serum concentrations of retinol, *d*-α-tocopherol and β-carotene: effects of storage at −70°C for five years 614(1993)169
Edouard, S., see Le Moing, J. P. 614(1993)333
Evans, P. C., Liu, L. and Harding, J. E.
Solid-phase separation of ^{14}C-labelled urea and aminoisobutyric acid for membrane transport studies 614(1993)148
Fang, J. and Gorrod, J. W.
High-performance liquid chromatographic method for the detection and quantitation of haloperidol and seven of its metabolites in microsomal preparations 614(1993)267
Farid, K. Z., see Lantz, R. J. 614(1993)175
Fiaschi, A. I., see Cerretani, D. 614(1993)103
Fisher, D. H. and Bourque, A. J.
Quantification of amphetamine in urine: solid-phase extraction, polymeric-reagent derivatization and reversed-phase high-performance liquid chromatography 614(1993)142
Franke, A. A., Custer, L. J. and Cooney, R. V.
Synthetic carotenoids as internal standards for plasma micronutrient analyses by high-performance liquid chromatography 614(1993)43
Gamache, P., Ryan, E., Svendsen, C., Murayama, K. and Acworth, I. N.
Simultaneous measurement of monoamines, metabolites and amino acids in brain tissue and microdialysis perfusates 614(1993)213
Gangwal, S. S., see Chaudhary, R. S. 614(1993)180
Gangwal, S. S., see Chaudhary, R. S. 614(1993)261
Gasparič, J., see Kučová, D. 614(1993)340
Giorgi, G., see Cerretani, D. 614(1993)103
Gorrod, J. W., see Fang, J. 614(1993)267
Gralow, A., see Schleyer, E. 614(1993)275
Gugenheim, J., see Candito, M. 614(1993)164
Harapanhalli, R. S., Howell, R. W. and Rao, D. V.
Testicular and plasma ascorbic acid levels in mice following dietary intake: a high-performance liquid chromatographic analysis 614(1993)233
Harding, J. E., see Evans, P. C. 614(1993)148
Hausch, M., see Brückner, H. 614(1993)7

Hiddemann, W., see Schleyer, E. 614(1993)275
Howell, R. W., see Harapanhalli, R. S. 614(1993)233
Hsu, F.-F., see Mattammal, M. B. 614(1993)205
Irth, H., see Reeuwijk, H. J. E. M. 614(1993)95
Jacala, A., Adusumalli, V. E., Kucharczyk, N. and Sofia, R. D.
Determination of the anticonvulsant felbamate and its three metabolites in brain and heart tissue of rats 614(1993)285
Jacomet, Y., see Candito, M. 614(1993)164
Jelínková, K., see Schneiderka, P. 614(1993)221
Jeunink, E. L., see Kaijser, G. P. 614(1993)253
Jin, J.-Z., Azzi, A., Wang, J.-Y. and Lin, S.-X.
Preparation of the apoenzyme and holoenzyme forms of human 17β-hydroxysteroid dehydrogenase 614(1993)159
Jindal, K. C., see Chaudhary, R. S. 614(1993)180
Jindal, K. C., see Chaudhary, R. S. 614(1993)261
Kaijser, G. P., Beijnen, J. H., Jeunink, E. L., Bult, A., Keizer, H. J., De Kraker, J. and Underberg, W. J. M.
Determination of chloroacetaldehyde, a metabolite of oxazaphosphorine cytostatic drugs, in plasma 614(1993)253
Kalafsky, G., Smith, H. T. and Choc, M. G.
High-performance liquid chromatographic method for the determination of fluvastatin in human plasma 614(1993)307
Kaufmann, C. C., see Schleyer, E. 614(1993)275
Keizer, H. J., see Kaijser, G. P. 614(1993)253
Khanna, S., see Chaudhary, R. S. 614(1993)180
Kloudová, M., see Schneiderka, P. 614(1993)221
Kocova El-Arini, S., see Carlin, A. S. 614(1993)324
Koons, J., see Lantz, R. J. 614(1993)175
Kucharczyk, N., see Jacala, A. 614(1993)285
Kučová, D., Maryšková, D., Davídková, P. and Gasparič, J.
High-performance liquid chromatographic determination of methoxsalen in plasma after liquid–solid extraction 614(1993)340
Lalande, M., see Brent Miller, R. 614(1993)293
Lantz, R. J., Farid, K. Z., Koons, J., Tenbarge, J. B. and Bopp, R. J.
Determination of fluoxetine and norfluoxetine in human plasma by capillary gas chromatography with electron-capture detection 614(1993)175
Leehey, D. J., see Reid, R. W. 614(1993)117
Le Moing, J. P., Edouard, S. and Levron, J. C.
Determination of risperidone and 9-hydroxyrisperidone in human plasma by high-performance liquid chromatography with electrochemical detection 614(1993)333
Levron, J. C., see Le Moing, J. P. 614(1993)333
Liefting, A. J. M., see Van Gijn, R. 614(1993)299
Lin, S.-X., see Jin, J.-Z. 614(1993)159
Linde, S., Welinder, B. S. and Nielsen, J. H.
Analysis of proinsulin and its conversion products by reversed-phase high-performance liquid chromatography (Review) 614(1993)185
Liu, L., see Evans, P. C. 614(1993)148
Lohmann, R., see Schleyer, E. 614(1993)275
Mallinger, A. G., Yao, J. K., Brown, A. S. and Dippold, C. S.
Analysis of complex mixtures of phospholipid classes from cell membranes using two-dimensional thin-layer chromatography and scanning laser densitometry 614(1993)67
Maryšková, D., see Kučová, D. 614(1993)340
Matsumura, R., see Asakura, M. 614(1993)135
Mattammal, M. B., Chung, H. D., Strong, R. and Hsu, F.-F.
Confirmation of a dopamine metabolite in parkinsonian brain tissue by gas chromatography–mass spectrometry 614(1993)205
McNulty, H., McPartlin, J., Weir, D. and Scott, J.
Reversed-phase high-performance liquid chromatographic method for the quantitation of endogenous folate catabolites in rat urine 614(1993)59
McPartlin, J., see McNulty, H. 614(1993)59
Medina, M. B. and Nagdy, N.
Improved thin-layer chromatographic detection of diethylstilbestrol and zeranol in plasma and tissues isolated with alumina and ion-exchange membrane columns in tandem 614(1993)315
Meng, Q. C., Durand, J., Chen, Y.-F. and Oparil, S.
Simplified method for quantitation of angiotensin peptides in tissue 614(1993)19
Merkus, F. W. H. M., see Reeuwijk, H. J. E. M. 614(1993)95
Micheli, L., see Cerretani, D. 614(1993)103
Mouiel, J., see Candito, M. 614(1993)164
Murayama, K., see Gamache, P. 614(1993)213
Musshoff, F., Daldrup, T. and Bonte, W.
Gas chromatographic–mass spectrometric screening procedure for the identification of formaldehyde-derived tetrahydro-β-carbolines in human urine 614(1993)1
Nagakura, A., see Asakura, M. 614(1993)135
Nagdy, N., see Medina, M. B. 614(1993)315
Nielsen, J. H., see Linde, S. 614(1993)185
Nierenberg, D. W., see Edmonds, B. K. 614(1993)169
Ohkubo, T., Shimoyama, R. and Sugawara, K.
Determination of chlorpromazine in human breast milk and serum by high-performance liquid chromatography 614(1993)328
Oparil, S., see Meng, Q. C. 614(1993)19
Pacáková, V., see Schneiderka, P. 614(1993)221
Parisot, F., see Candito, M. 614(1993)164
Pasquier, M.-C., Sabbagh, L., Vallot, T. and Vatier, J.
Molecular fractionation of gastric mucus component by high-performance liquid chromatography: application to pig gastric mucus *in vitro* and to human gastric mucus collected by aspiration during gastric endoscopy 614(1993)27
Pinedo, H. M., see Van Gijn, R. 614(1993)299
Prakash, A., see Dua, V. K. 614(1993)87
Rao, D. V., see Harapanhalli, R. S. 614(1993)233
Reddy, M. V.
C_{18} thin-layer chromatographic enhancement of the ^{32}P-postlabeling assay for aromatic or bulky carcinogen–DNA adducts: evaluation of adduct recoveries in comparison with nuclease P1 and butanol methods 614(1993)245
Reeuwijk, H. J. E. M., Irth, H., Tjaden, U. R., Merkus, F. W. H. M. and Van der Greef, J.
Liquid chromatographic determination of β-cyclodextrin derivatives based on fluorescence enhancement after inclusion complexation 614(1993)95
Reid, R. W., Deakin, A. and Leehey, D. J.
Measurement of naloxone in plasma using high-performance liquid chromatography with electrochemical detection 614(1993)117

Rodgers, J. P., see Stanley, S. M. R. 614(1993)77
Rolf, C., see Schleyer, E. 614(1993)275
Rosing, H., see Van Gijn, R. 614(1993)299
Ryan, E., see Gamache, P. 614(1993)213
Sabbagh, L., see Pasquier, M.-C. 614(1993)27
Sarin, R., see Dua, V. K. 614(1993)87
Schiavo, M. R., see Taibi, G. 614(1993)153
Schleyer, E., Lohmann, R., Rolf, C., Gralow, A., Kaufmann, C. C., Unterhalt, M. and Hiddemann, W.
Column-switching solid-phase trace-enrichment high-performance liquid chromatographic method for measurement of buprenorphine and norbuprenorphine in human plasma and urine by electrochemical detection 614(1993)275
Schneiderka, P., Pacáková, V., Štulík, K., Kloudová, M. and Jelínková, K.
High-performance liquid chromatographic determination of creatinine in serum, and a correlation of the results with those of the Jaffé and enzymic methods 614(1993)221
Scott, J., see McNulty, H. 614(1993)59
Seifert, J.
Assay of tryptophan 2,3-dioxygenase using liver slices and high-performance liquid chromatography 614(1993)227
Shah, Y. N., see Chaudhary, R. S. 614(1993)261
Shimoyama, R., see Ohkubo, T. 614(1993)328
Shiu, G. K., see Carlin, A. S. 614(1993)324
Simmons, J. E., see Carlin, A. S. 614(1993)324
Smith, H. T., see Kalafsky, G. 614(1993)307
Smith, P. C., see Castillo, M. 614(1993)109
Sofia, R. D., see Jacala, A. 614(1993)285
Stanley, S. M. R., Wilhelmi, B. S., Rodgers, J. P. and Bertschinger, H.
Immunoaffinity chromatography combined with gas chromatography–negative ion chemical ionisation mass spectrometry for the confirmation of flumethasone abuse in the equine 614(1993)77
Strong, R., see Mattammal, M. B. 614(1993)205
Štulík, K., see Schneiderka, P. 614(1993)221
Sudaka, P., see Candito, M. 614(1993)164
Sugawara, K., see Ohkubo, T. 614(1993)328
Svendsen, C., see Gamache, P. 614(1993)213
Taibi, G. and Schiavo, M. R.
Simple high-performance liquid chromatographic assay for polyamines and their monoacetyl derivatives 614(1993)153
Tarui, S., see Asakura, M. 614(1993)135
Tenbarge, J. B., see Lantz, R. J. 614(1993)175
Ten Bokkel Huinink, W. W., see Van Gijn, R. 614(1993)299
Tjaden, U. R., see Reeuwijk, H. J. E. M. 614(1993)95
Toledano, C., see Tsikas, D. 614(1993)37
Tsikas, D., Velásquez, R., Toledano, C. and Brunner, G.
Ion-pair extraction of histamine from biological fluids and tissues for its determination by high-performance liquid chromatography with fluorescence detection 614(1993)37
Tyczkowska, K. L., Voyksner, R. D., Anderson, K. L. and Aronson, A. L.
Determination of ceftiofur and its metabolite desfuroylceftiofur in bovine serum and milk by ion-paired liquid chromatography 614(1993)123
Underberg, W. J. M., see Kaijser, G. P. 614(1993)253
Unterhalt, M., see Schleyer, E. 614(1993)275
Vallot, T., see Pasquier, M.-C. 614(1993)27
Van der Greef, J., see Reeuwijk, H. J. E. M. 614(1993)95
Van Gijn, R., Rosing, H., Ten Bokkel Huinink, W. W., Van Tellingen, O., Vermorken, J. B., Liefting, A. J. M., Bruno, R., Pinedo, H. M. and Beijnen, J. H.
Determination of intoplicine, a new antitumour drug, in human whole blood and plasma by normal-phase high-performance liquid chromatography with fluorescence detection 614(1993)299
Van Tellingen, O., see Van Gijn, R. 614(1993)299
Vatier, J., see Pasquier, M.-C. 614(1993)27
Velásquez, R., see Tsikas, D. 614(1993)37
Vermorken, J. B., see Van Gijn, R. 614(1993)299
Voyksner, R. D., see Tyczkowska, K. L. 614(1993)123
Wang, J.-Y., see Jin, J.-Z. 614(1993)159
Weir, D., see McNulty, H. 614(1993)59
Welinder, B. S., see Linde, S. 614(1993)185
Wilhelmi, B. S., see Stanley, S. M. R. 614(1993)77
Yao, J. K., see Mallinger, A. G. 614(1993)67

Compound Index

p-Acetamidobenzoylglutamate
Reversed-phase high-performance liquid chromatographic method for the quantitation of endogenous folate catabolites in rat urine 614(1993)59

2-Acetylaminofluorene
C_{18} thin-layer chromatographic enhancement of the ^{32}P-postlabeling assay for aromatic or bulky carcinogen–DNA adducts: evaluation of adduct recoveries in comparison with nuclease P1 and butanol methods 614(1993)245

Acetylpolyamines
Simple high-performance liquid chromatographic assay for polyamines and their monoacetyl derivatives 614(1993)153

Amino acids
Gas chromatographic characterization of free D-amino acids in the blood serum of patients with renal disorders and of healthy volunteers 614(1993)7

Simultaneous measurement of monoamines, metabolites and amino acids in brain tissue and microdialysis perfusates 614(1993)213

p-Aminobenzoylglutamate
Reversed-phase high-performance liquid chromatographic method for the quantitation of endogenous folate catabolites in rat urine 614(1993)59

Aminoisobutyric acid
Solid-phase separation of ^{14}C-labelled urea and aminoisobutyric acid for membrane transport studies 614(1993)148

Amphetamine
Quantification of amphetamine in urine: solid-phase extraction, polymeric-reagent derivatization and reversed-phase high-performance liquid chromatography 614(1993)142

Angiotensin peptides
Simplified method for quantitation of angiotensin peptides in tissue 614(1993)19

Ascorbic acid
Testicular and plasma ascorbic acid levels in mice following dietary intake: a high-performance liquid chromatographic analysis 614(1993)233

Benzo[*a*]pyrene
C_{18} thin-layer chromatographic enhancement of the ^{32}P-postlabeling assay for aromatic or bulky carcinogen–DNA adducts: evaluation of adduct recoveries in comparison with nuclease P1 and butanol methods 614(1993)245

Benzoquinone
C_{18} thin-layer chromatographic enhancement of the ^{32}P-postlabeling assay for aromatic or bulky carcinogen–DNA adducts: evaluation of adduct recoveries in comparison with nuclease P1 and butanol methods 614(1993)245

Buprenorphine
Column-switching solid-phase trace-enrichment high-performance liquid chromatographic method for measurement of buprenorphine and norbuprenorphine in human plasma and urine by electrochemical detection 614(1993)275

β-Carotene
Serum concentrations of retinol, *d*-α-tocopherol and β-carotene: effects of storage at −70°C for five years 614(1993)169

Carotenoids, synthetic
Synthetic carotenoids as internal standards for plasma micronutrient analyses by high-performance liquid chromatography 614(1993)43

Ceftiofur
Determination of ceftiofur and its metabolite desfuroylceftiofur in bovine serum and milk by ion-paired liquid chromatography 614(1993)123

Chloroacetaldehyde
Determination of chloroacetaldehyde, a metabolite of oxazaphosphorine cytostatic drugs, in plasma 614(1993)253

Chlorpromazine
Determination of chlorpromazine in human breast milk and serum by high-performance liquid chromatography 614(1993)328

Creatinine
High-performance liquid chromatographic determination of creatinine in serum, and a correlation of the results with those of the Jaffé and enzymic methods 614(1993)221

β-Cyclodextrin
Liquid chromatographic determination of β-cyclodextrin derivatives based on fluorescence enhancement after inclusion complexation 614(1993)95

Dechloroethylifosfamide
Determination of chloroacetaldehyde, a metabolite of oxazaphosphorine cytostatic drugs, in plasma 614(1993)253

Dehydroascorbic acid
Testicular and plasma ascorbic acid levels in mice following dietary intake: a high-performance liquid chromatographic analysis 614(1993)233

Desfuroylceftiofur
Determination of ceftiofur and its metabolite desfuroylceftiofur in bovine serum and milk by ion-paired liquid chromatography 614(1993)123

Diethylstilbestrol
Improved thin-layer chromatographic detection of diethylstilbestrol and zeranol in plasma and tissues isolated with alumina and ion-exchange membrane columns in tandem 614(1993)315

3,4-Dihydroxyphenylacetaldehyde
Confirmation of a dopamine metabolite in parkinsonian brain tissue by gas chromatography–mass spectrometry 614(1993)205

Diltiazem
Determination of diltiazem hydrochloride in human serum by high-performance liquid chromatography 614(1993)261

Dimethyl-β-cyclodextrin
Liquid chromatographic determination of β-cyclodextrin derivatives based on fluorescence enhancement after inclusion complexation 614(1993)95

Dopamine, metabolite
Confirmation of a dopamine metabolite in parkinsonian brain tissue by gas chromatography–mass spectrometry 614(1993)205

Enzymes
Preparation of the apoenzyme and holoenzyme forms of human 17β-hydroxysteroid dehydrogenase 614(1993)159

Assay of tryptophan 2,3-dioxygenase using liver slices and high-performance liquid chromatography 614(1993)227

Felbamate
Determination of the anticonvulsant felbamate and its three metabolites in brain and heart tissue of rats 614(1993)285

Flumethasone
Immunoaffinity chromatography combined with gas chromatography–negative ion chemical ionisation mass spectrometry for the confirmation of flumethasone abuse in the equine 614(1993)77

Fluoxetine
Determination of fluoxetine and norfluoxetine in human plasma by capillary gas chromatography with electron-capture detection 614(1993)175

Fluvastatin
High-performance liquid chromatographic method for the determination of fluvastatin in human plasma 614(1993)307

Folates
Reversed-phase high-performance liquid chromatographic method for the quantitation of endogenous folate catabolites in rat urine 614(1993)59

Haloperidol
High-performance liquid chromatographic method for the detection and quantitation of haloperidol and seven of its metabolites in microsomal preparations 614(1993)267

Histamine
Ion-pair extraction of histamine from biological fluids and tissues for its determination by high-performance liquid chromatography with fluorescence detection 614(1993)37

2-Hydroxyfelbamate
Determination of the anticonvulsant felbamate and its three metabolites in brain and heart tissue of rats 614(1993)285

***p*-Hydroxyphenylfelbamate**
Determination of the anticonvulsant felbamate and its three metabolites in brain and heart tissue of rats 614(1993)285

Hydroxypropyl-β-cyclodextin
Liquid chromatographic determination of β-cyclodextrin derivatives based on fluorescence enhancement after inclusion complexation 614(1993)95

9-Hydroxyrisperidone
Determination of risperidone and 9-hydroxyrisperidone in human plasma by high-performance liquid chromatography with electrochemical detection 614(1993)333

17β-Hydroxysteroid dehydrogenase
Preparation of the apoenzyme and holoenzyme forms of human 17β-hydroxysteroid dehydrogenase 614(1993)159

Ibuprofen
Direct determination of ibuprofen and ibuprofen acyl glucuronide in plasma by high-performance liquid chromatography using solid-phase extraction 614(1993)109

Ibuprofen acyl glucuronide
Direct determination of ibuprofen and ibuprofen acyl glucuronide in plasma by high-performance liquid chromatography using solid-phase extraction 614(1993)109

Ifosfamide
Determination of chloroacetaldehyde, a metabolite of oxazaphosphorine cytostatic drugs, in plasma 614(1993)253

Indapamine
High-performance liquid chromatographic method for the determination of indapamide in human whole blood 614(1993)293

Insulin
Analysis of proinsulin and its conversion products by reversed-phase high-performance liquid chromatography (Review) 614(1993)185

Intoplicine
Determination of intoplicine, a new antitumour drug, in human whole blood and plasma by normal-phase high-performance liquid chromatography with fluorescence detection 614(1993)299

Ketorolac
Reversed-phase high-performance liquid chromatography of ketorolac and its application to bioequivalence studies in human serum 614(1993)180

Khellin
Determination of khellin in serum by gas chromatography 614(1993)324

Methoxsalen
High-performance liquid chromatographic determination of methoxsalen in plasma after liquid–solid extraction 614(1993)340

Mitomycin C
C_{18} thin-layer chromatographic enhancement of the ^{32}P-postlabeling assay for aromatic or bulky carcinogen–DNA adducts: evaluation of adduct recoveries in comparison with nuclease P1 and butanol methods 614(1993)245

Monoamines
Simultaneous measurement of monoamines, metabolites and amino acids in brain tissue and microdialysis perfusates 614(1993)213

Mucus
Molecular fractionation of gastric mucus component by high-performance liquid chromatography: application to pig gastric mucus *in vitro* and to human gastric mucus collected by aspiration during gastric endoscopy 614(1993)27

Naloxone
Measurement of naloxone in plasma using high-performance liquid chromatography with electrochemical detection 614(1993)117

Neopterin
Simple column liquid chromatographic assay for serum neopterin 614(1993)164

Norbuprenorphine
Column-switching solid-phase trace-enrichment high-performance liquid chromatographic method for measurement of buprenorphine and norbuprenorphine in human plasma and urine by electrochemical detection 614(1993)275

Norfluoxetine
Determination of fluoxetine and norfluoxetine in human plasma by capillary gas chromatography with electron-capture detection 614(1993)175

Peptides
Simplified method for quantitation of angiotensin peptides in tissue 614(1993)19

2-Phenyl-1,3-propanediol monocarbamate
Determination of the anticonvulsant felbamate and its three metabolites in brain and heart tissue of rats 614(1993)285

Phospholipids
Analysis of complex mixtures of phospholipid classes from cell membranes using two-dimensional thin-layer chromatography and scanning laser densitometry 614(1993)67

Pimobendan
Simultaneous determination of the enantiomers of pimobendan and its main metabolite in rat plasma by high-performance liquid chromatography 614(1993)135

Pimobendan, main metabolite
Simultaneous determination of the enantiomers of pimobendan and its main metabolite in rat plasma by high-performance liquid chromatography 614(1993)135

Piroxicam
Rapid and sensitive determination of piroxicam in rat plasma, muscle and skin by high-performance liquid chromatography 614(1993)103

Polyamines
Simple high-performance liquid chromatographic assay for polyamines and their monoacetyl derivatives 614(1993)153

Proinsulin
Analysis of proinsulin and its conversion products by reversed-phase high-performance liquid chromatography (Review) 614(1993)185

Quinine
Determination of quinine in serum, plasma, red blood cells and whole blood in healthy and *Plasmodium falciparum* malaria cases by high-performance liquid chromatography 614(1993)87

Retinol
Serum concentrations of retinol, *d*-α-tocopherol and β-carotene: effects of storage at −70°C for five years 614(1993)169

Risperidone
Determination of risperidone and 9-hydroxyrisperidone in human plasma by high-performance liquid chromatography with electrochemical detection 614(1993)333

Safrole
C_{18} thin-layer chromatographic enhancement of the ^{32}P-postlabeling assay for aromatic or bulky carcinogen–DNA adducts: evaluation of adduct recoveries in comparison with nuclease P1 and butanol methods 614(1993)245

Steroids
Improved thin-layer chromatographic detection of diethylstilbestrol and zeranol in plasma and tissues isolated with alumina and ion-exchange membrane columns in tandem 614(1993)315

Tetrahydro-β-carbolines
Gas chromatographic–mass spectrometric screening procedure for the identification of formaldehyde-derived tetrahydro-β-carbolines in human urine 614(1993)1

***d*-α-Tocopherol**
Serum concentrations of retinol, *d*-α-tocopherol and β-carotene: effects of storage at −70°C for five years 614(1993)169

Trimethyl-β-cyclodextrin
Liquid chromatographic determination of β-cyclodextrin derivatives based on fluorescence enhancement after inclusion complexation 614(1993)95

Tryptophan 2,3-dioxygenase
Assay of tryptophan 2,3-dioxygenase using liver slices and high-performance liquid chromatography 614(1993)227

Urea
Solid-phase separation of ^{14}C-labelled urea and aminoisobutyric acid for membrane transport studies 614(1993)148

Vitamin C
Testicular and plasma ascorbic acid levels in mice following dietary intake: a high-performance liquid chromatographic analysis 614(1993)233

Vitamins
Reversed-phase high-performance liquid chromatographic method for the quantitation of endogenous folate catabolites in rat urine 614(1993)59

Zeranol
Improved thin-layer chromatographic detection of diethylstilbestrol and zeranol in plasma and tissues isolated with alumina and ion-exchange membrane columns in tandem 614(1993)315